

Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -499.3 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -499.3 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -499.1 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.9 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.9 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.8 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.7 PH biosensor



Probability $\geq 99\%$

99% $>$ Probability $\geq 95\%$

95% $>$ Probability $\geq 90\%$

90% $>$ Probability $\geq 80\%$


80% $>$ Probability $\geq 70\%$

70% $>$ Probability $\geq 60\%$

60% $>$ Probability $\geq 50\%$

50% $>$ Probability

ENERGY = -498.7 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.6 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.6 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.6 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.6 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.6 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.5 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.5 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.5 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.5 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.4 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%


80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.4 PH biosensor



Probability >= 99%

99% > Probability >= 95%

95% > Probability >= 90%

90% > Probability >= 80%

80% > Probability >= 70%

70% > Probability >= 60%

60% > Probability >= 50%

50% > Probability

ENERGY = -498.3 PH biosensor